


CONNECTORS

PRODUCT CATALOG



2011

CONTENTS

1) Introduction	3
2) Connectors technical data	4
3) Barb Connectors	5
4) Start Connectors	11
5) Barb Connectors for Micro Tubes	13
6) Barb Connectors for Mining	15
7) Fast Ring Connectors	17
8) Start Connectors for Lay Flat Pipes & Spare Parts	21
9) Flare Connectors	22
10) Nut Twist Lock Connectors	26
11) Start Connectors for Polynet™ Pipes & Spare Parts	27
12) Polynet™ Connector Kits	28
13) Flatnet™ Suitable Connectors	30

Products appearing in this catalogue may be covered by one or more of the following US Patent No. 7644735 and other U.S. patents pending or corresponding issued or pending foreign patents.

All rights are reserved. You are specifically prohibited and not allowed to reproduce, copy, duplicate, manufacture, supply, sell, hire, distribute or adapt all or any part of this publication including any packaging. Netafim™, are trademarks of Netafim™ Ltd., registered in the U.S. and other countries.

We endeavor to provide accurate, quality and detailed information. However we cannot accept liability for your reliance on the provided information and you are advised to independently seek professional advice from Netafim™ and/or its authorized representatives. There is no undertaking by us that the provided information or any part thereof is accurate, complete or up to date .

Mention of third-party products is for informational purposes only and constitutes neither an endorsement nor a recommendation.

Netafim™ assumes no responsibility with regard to the performance or use of these products.

In no event shall Netafim™ be liable for any indirect, incidental, special or consequential damages.

INTRODUCTION

Netafim™ comprehensive range of pipe connector systems is made of high resistance and durability polymers. They are functional and viable, modeled under the highest market standards and available for all pipe types. Use the catalog to select the right line for your application: barb connectors, fast ring connectors, Flare connectors, Twist Lock connectors and a vast family of start and reducing connectors.



Barb connectors

Netafim™ has 4 connector sub-families for dripperlines: 12, 16, 17, and 20mm

Applications:

In thick walled dripperlines 0.9, 1.0 and 1.2mm

Benefits:

Relatively easy to install
UV resistant
Durable one-piece construction



Fast Ring connectors

These have been long-standing in the Netafim™ product line, invented and manufactured by Netafim™.

Applications:

In thin & medium walled dripperlines between 0.1mm (4mil) and 0.8mm (32mil)

Benefits:

Highly reliable connector
Very easy to handle
In certain models the connector is supplied in one piece (with rings assembled)
Easily released from the pipe when required
UV resistant



Flare connectors

A new connector family, manufactured at Netafim™ and innovative in the market

Applications:

In TWD, Medium WD & Thick walled dripperlines (2 different models of connectors) between 0.15 mm (6mil) and 1.2mm (47mil)

Benefits:

An extremely reliable connector (fastened by a nut)
Very short (the shortest possible) with minimal interference in the retrieval process.
Very narrow (slightly wider than the dripperline it holds) causing minimal interference with passage through mechanical tools.
Easily opened (when required).
Chemical resistant
UV resistant



Long nut connectors ("Twist Lock")

Applications

In TWD and Medium WD dripperlines between 0.1mm (4mil) and 0.8mm (32mil)

Benefits:

An extremely reliable connector (fastened by a nut)
Easily opened (when required)
Extremely long - when SDI is used and a dripperline happens to crack/ blow up needing cut off and repair, it will be relatively easy to connect both ends of the pipe using this connector.

CONNECTORS TECHNICAL DATA


	DRIPPERLINE		SUBSURFACE INSTALLATION		LAYOUT/RECOILING	REUSABLE
	INTERNAL DIAMETER	WALL THICKNESS	DEEP BURYING	SHALLOW BURYING		
Connectors for Thick walled dripperlines						
BARB						
12	10.2	1.0-1.2 mm	√	√	√	X
16	14.2	0.9-1.2 mm	√	√	√	X
17	14.6	1.2 mm	√	√	√	X
20	17.5	1.0-1.2 mm	√	√	√	X
BARB for MINING (VIOLET)						
12	10.2	1.0-1.2 mm	√	√	√	X
16	14.2	0.9-1.2 mm	√	√	√	X
17	14.6	1.2 mm	√	√	√	X
18	15.5	1.1 mm	√	√	√	X
20	17.5	1.0-1.2 mm	√	√	√	X
FLARE for HWD (ORANGE NUT)						
16-17	14.2-14.6	0.9-1.0 mm	X	√	√	√
20	17.5	0.9-1.0 mm	X	√	√	√
23	20.8	0.9-1.0 mm	X	√	√	√
Connectors for Thin/Medium walled dripperlines						
RING FAST CONN.						
16 blue ring	16.2	4-15 mil	X/√	√	X	√
16 black/white ring	15.5	20-25 mil	X/√	√	X	√
22 blue ring	22.2	8-15 mil	X/√	√	X	√
25 black ring	25.0	13.5-15 mil	X/√	√	X	√
FLARE for TWD (BLUE NUT)						
12	11.8	6-25 mil	X	√	√	√
16	16.2	4-20 mil	X	√	√	√
22	22.2	8-25 mil	X	√	√	√
25	25.0	13.5-15 mil	X	√	√	√
35	35.0	13.5-15 mil	X	√	√	√
TWIST LOCK (TWD)						
16	16.2	4-20mil	√	√	X/√	√
22	22.2	8-25mil	√	√	X/√	√
25	25.0	13.5-15 mil	√	√	X/√	√


√ Suitable
X Not suitable
X/√ Suitable but not recommended





12 MM BARB CONNECTORS FOR PE PIPES


Pipe inside Ø (mm)	Wall thickness (mm)	Max. working pressure (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
10.2	1.0	39	3.5	Tiran™ 12010
10.2	1.2	47	4.0	Tiran™ 12012


DESCRIPTION	Coupling barb 12 x 12		
CATALOG NUMBERS	1 unit	32500-002200	
50 units/bag	32500-002220		
100 units/bag	32500-002230		


DESCRIPTION	"T" barb 12 x 12 x 12		
CATALOG NUMBERS	1 unit	32500-002500	
50 units/bag	32500-002520		
100 units/bag	32500-002530		


DESCRIPTION	Elbow barb 12 x 12		
CATALOG NUMBERS	1 unit	32500-003200	
50 units/bag	32500-003220		
100 units/bag	32500-003230		


DESCRIPTION	"8" line end 12 mm		
CATALOG NUMBERS	1 unit	32500-003500	
50 units/bag	32500-003520		
100 units/bag	32500-003530		


DESCRIPTION	Straight barb 12 threaded male 1/2"		
CATALOG NUMBERS	1 unit	32500-002300	
50 units/bag	32500-002306		
100 units/bag			


DESCRIPTION	"Y" barb 12 x 2 threaded male 3/4"		
CATALOG NUMBERS	1 unit	32500-002800	
50 units/bag	32500-002810		
100 units/bag			


DESCRIPTION	Elbow barb 12 threaded male 1/2"		
CATALOG NUMBERS	1 unit	32500-003300	
50 units/bag	32500-003320		
100 units/bag			


DESCRIPTION	"W" barb 12 x 3 threaded male 3/4"		
CATALOG NUMBERS	1 unit	32500-002820	
50 units/bag	32500-002840		
100 units/bag			


DESCRIPTION	"T" barb 12 x 2 threaded male 1/2"		
CATALOG NUMBERS	1 unit	32500-002310	
50 units/bag	32500-002320		
100 units/bag	32500-002330		

DESCRIPTION	Barb 12 x 3 threaded female 3/4"		
CATALOG NUMBERS	1 unit	32500-002900	
50 units/bag	32500-002920		
100 units/bag			

DESCRIPTION	Straight barb 12 threaded male 3/4"		
CATALOG NUMBERS	1 unit	32500-002400	
50 units/bag	32500-002420		
100 units/bag			

DESCRIPTION	Barb 12 x 4 threaded female 3/4"		
CATALOG NUMBERS	1 unit	32500-003000	
50 units/bag	32500-003020		
100 units/bag			

DESCRIPTION	Elbow barb 12 threaded male 3/4"		
CATALOG NUMBERS	1 unit	32500-003400	
50 units/bag	32500-003420		
100 units/bag	32500-003430		


DESCRIPTION	Barb 12 x 6 threaded female 3/4"		
CATALOG NUMBERS	1 unit	32500-003100	
50 units/bag	32500-003120		
100 units/bag	32500-003130		





16 MM BARB CONNECTORS FOR PE PIPES


Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
14.2	0.9	35	3.0	UniRam™ 16009, DripNet PC™ 16009, Tiran™ 16009
	1.0	39	3.5	UniRam™ 16010, DripNet PC™ 16010*, Tiran™ 16010
	1.2	47	4.0	UniRam™ 16012, DripNet PC™ 16012*, Tiran™ 16012


* DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper, not by the wall tickness)


DESCRIPTION	Coupling barb 16 x 16		
CATALOG NUMBERS	1 unit	32500-010700	
50 units/bag	32500-010720		
100 units/bag	32500-010730		


DESCRIPTION	"T" barb 16 x 16 x 16		
CATALOG NUMBERS	1 unit	32500-011300	
50 units/bag	32500-011320		
100 units/bag	32500-011330		


DESCRIPTION	Elbow barb 16 x 16		
CATALOG NUMBERS	1 unit	32500-012500	
50 units/bag	32500-012520		
100 units/bag	32500-012530		


DESCRIPTION	"8" line end 16 mm		
CATALOG NUMBERS	1 unit	32500-013000	
50 units/bag	32500-013020		
100 units/bag	32500-013030		


DESCRIPTION	Straight barb 16 threaded male 1/2"		
CATALOG NUMBERS	1 unit	32500-010900	
50 units/bag	32500-010920		
100 units/bag			


DESCRIPTION	"Y" barb 16 x 2 threaded male 3/4"		
CATALOG NUMBERS	1 unit	32500-011200	
50 units/bag	32500-011220		
100 units/bag	32500-011230		


DESCRIPTION	Elbow barb 16 threaded male 1/2"		
CATALOG NUMBERS	1 unit	32500-012700	
50 units/bag	32500-012720		
100 units/bag	32500-012730		


DESCRIPTION	"W" barb 16 x 3 threaded male 3/4"		
CATALOG NUMBERS	1 unit	32500-012400	
50 units/bag	32500-012425		
100 units/bag	32500-012430		


DESCRIPTION	"T" barb 16 x 2 threaded male 1/2"		
CATALOG NUMBERS	1 unit	32500-011600	
50 units/bag	32500-011620		
100 units/bag			


DESCRIPTION	"T" barb 16 x 2 threaded female 3/4"		
CATALOG NUMBERS	1 unit	32500-011700	
50 units/bag	32500-011720		
100 units/bag			


DESCRIPTION	Straight barb 16 threaded male 3/4"		
CATALOG NUMBERS	1 unit	32500-011000	
50 units/bag	32500-011020		
100 units/bag	32500-011030		


DESCRIPTION	Barb 16 x 3 threaded female 3/4"		
CATALOG NUMBERS	1 unit	32500-011900	
50 units/bag	32500-011920		
100 units/bag			

DESCRIPTION	Elbow barb 16 threaded male 3/4"		
CATALOG NUMBERS	1 unit	32500-012800	
50 units/bag	32500-012820		
100 units/bag	32500-012830		
bag			

DESCRIPTION	Barb 16 x 4 threaded female 3/4"		
CATALOG NUMBERS	1 unit	32500-012100	
50 units/bag	32500-012120		
100 units/bag			

DESCRIPTION	"T" barb 16 x 2 threaded male 3/4"		
CATALOG NUMBERS	1 unit	32500-011800	
	50 units/bag	32500-011820	
	100 units/bag		


DESCRIPTION	Barb 16 x 6 threaded female 3/4"		
CATALOG NUMBERS	1 unit	32500-012300	
	50 units/bag	32500-012320	
	100 units/bag		


DESCRIPTION	Barb 16 threaded loose female 3/4"		
CATALOG NUMBERS	1 unit	32500-011100	
	50 units/bag		
	100 units/bag		





17 MM BARB CONNECTORS FOR PE PIPES


Pipe inside Ø (mm)	Wall thickness (mm)	Max. working pressure (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
14.6	1.2	47	4.0	UniRam™ 17012, Tiran™ 17012


DESCRIPTION	Coupling barb 17 x 17		
CATALOG NUMBERS	1 unit	32500-003800	
	50 units/bag	32500-003810	
	100 units/bag	32500-003820	


DESCRIPTION	"T" barb 17 x 17 x 17		
CATALOG NUMBERS	1 unit	32500-004900	
	50 units/bag	32500-004920	
	100 units/bag	32500-004930	


DESCRIPTION	Elbow barb 17 x 17		
CATALOG NUMBERS	1 unit	32500-005900	
	50 units/bag	32500-005920	
	100 units/bag	32500-005940	


DESCRIPTION	"8" line end 17 mm		
CATALOG NUMBERS	1 unit	32500-013000	
	50 units/bag	32500-013020	
	100 units/bag	32500-013030	


DESCRIPTION	"Cross" barb 17 x 17 x 17 x 17		
CATALOG NUMBERS	1 unit	32500-006300	
	50 units/bag	32500-006320	
	100 units/bag	32500-006330	


DESCRIPTION	Ring line end 17 mm (body & ring)		
CATALOG NUMBERS	100 units/bag	32500-007580	


DESCRIPTION	Straight barb 17 threaded male 1/2"		
CATALOG NUMBERS	1 unit	32500-004400	
	50 units/bag	32500-004430	
	100 units/bag	32500-004440	


DESCRIPTION	"T" barb 17 x 2 threaded female 3/4"		
CATALOG NUMBERS	1 unit	32500-004700	
	50 units/bag	32500-004720	
	100 units/bag	32500-004730	


DESCRIPTION	Elbow barb 17 threaded male 1/2"		
CATALOG NUMBERS	1 unit	32500-006000	
	50 units/bag	32500-006020	
	100 units/bag	32500-006030	


DESCRIPTION	"T" barb 17 x 2 threaded male 1/2"		
CATALOG NUMBERS	1 unit	32500-004450	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Straight barb 17 threaded male 3/4"		
CATALOG NUMBERS	1 unit	32500-004490	
	50 units/bag	32500-004492	
	100 units/bag	32500-004493	


DESCRIPTION	Elbow barb 17 threaded male 3/4"		
CATALOG NUMBERS	1 unit	32500-006100	
	50 units/bag	32500-006120	
	100 units/bag	32500-006130	


DESCRIPTION	"T" barb 17 x 2 threaded male 3/4"		
CATALOG NUMBERS	1 unit	32500-004800	
	50 units/bag	32500-004820	
	100 units/bag	32500-004830	


DESCRIPTION	"Y" barb 17 x 2 threaded male 1/2"		
CATALOG NUMBERS	1 unit	32500-004460	
	50 units/bag		
	100 units/bag	32500-004475	


DESCRIPTION	"Y" barb 17 x 2 threaded male 3/4"		
CATALOG NUMBERS	1 unit	32500-004600	
	50 units/bag	32500-004620	
	100 units/bag	32500-004630	


DESCRIPTION	"W" barb 17 x 3 threaded male 3/4"		
CATALOG NUMBERS	1 unit	32500-005200	
	50 units/bag	32500-005220	
	100 units/bag	32500-005230	


DESCRIPTION	Barb 17 x 3 threaded female 3/4"		
CATALOG NUMBERS	1 unit	32500-005100	
	50 units/bag	32500-005120	
	100 units/bag	32500-005130	


DESCRIPTION	Barb 17 x 4 threaded female 3/4"		
CATALOG NUMBERS	1 unit	32500-005300	
	50 units/bag	32500-005320	
	100 units/bag	32500-005330	


DESCRIPTION	Barb 17 x 6 threaded female 3/4"		
CATALOG NUMBERS	1 unit	32500-005400	
	50 units/bag	32500-005420	
	100 units/bag	32500-005430	

DESCRIPTION	"T" barb 17 x 2 threaded female 1"		
CATALOG NUMBERS	1 unit	32500-005500	
	50 units/bag	32500-005520	
	100 units/bag	32500-005530	

DESCRIPTION	Barb 17 x 3 threaded female 1"		
CATALOG NUMBERS	1 unit	32500-005600	
	50 units/bag	32500-005610	
	100 units/bag	32500-005620	

DESCRIPTION	Barb 17 x 4 threaded female 1"		
CATALOG NUMBERS	1 unit	32500-005700	
	50 units/bag	32500-005710	
	100 units/bag		

DESCRIPTION	Barb 17 x 6 threaded female 1"		
CATALOG NUMBERS	1 unit	32500-005800	
	50 units/bag	32500-005810	
	100 units/bag		


DESCRIPTION	"T" barb 17 x 2 threaded female 1/2"		
CATALOG NUMBERS	1 unit	32500-005050	
	50 units/bag	32500-005520	
	100 units/bag	32500-005530	





20 MM BARB CONNECTORS FOR PE PIPES


Pipe inside Ø (mm)	Wall thickness (mm)		Max. working pressure (bar)	To fit Netafim™™ dripperlines
17.5	1.0	39	3.5	UniRam™ 20010, DripNet PC™ 20010*, Tiran™ 20010
	1.2	47	4.0	UniRam™ 20012, DripNet PC™ 20012*, Tiran™ 20012


* DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper, not by the wall thickness)


DESCRIPTION	Coupling barb 20 x 20			
CATALOG NUMBERS	1 unit	32500-007600		
	50 units/bag	32500-007620		
	100 units/bag	32500-007630		


DESCRIPTION	Elbow barb 20 x 20			
CATALOG NUMBERS	1 unit	32500-010000		
	50 units/bag	32500-010020		
	100 units/bag	32500-010030		


DESCRIPTION	Straight barb 20 threaded male 1/2"			
CATALOG NUMBERS	1 unit	32500-008000		
	50 units/bag	32500-008020		
	100 units/bag	32500-008030		


DESCRIPTION	Elbow barb 20 threaded male 1/2"			
CATALOG NUMBERS	1 unit	32500-014500		
	50 units/bag	32500-014515		
	100 units/bag			


DESCRIPTION	"T" barb 20 x 2 threaded male 1/2"			
CATALOG NUMBERS	1 unit	32500-014550		
	50 units/bag			
	100 units/bag			


DESCRIPTION	Straight barb 20 threaded male 3/4"			
CATALOG NUMBERS	1 unit	32500-008100		
	50 units/bag	32500-008120		
	100 units/bag	32500-008130		


DESCRIPTION	Elbow barb 20 threaded male 3/4"			
CATALOG NUMBERS	1 unit	32500-010100		
	50 units/bag	32500-010110		
	100 units/bag			


DESCRIPTION	"T" barb 20 x 2 threaded male 3/4"			
CATALOG NUMBERS	1 unit	32500-008800		
	50 units/bag	32500-008820		
	100 units/bag	32500-008830		


DESCRIPTION	"T" barb 20 x 20 x 20			
CATALOG NUMBERS	1 unit	32500-008400		
	50 units/bag	32500-008420		
	100 units/bag	32500-008430		


DESCRIPTION	"8" line end 20 mm			
CATALOG NUMBERS	1 unit	32500-014400		
	50 units/bag	32500-014420		
	100 units/bag	32500-014430		


DESCRIPTION	"Y" barb 20 x 2 threaded male 3/4"			
CATALOG NUMBERS	1 unit	32500-008300		
	50 units/bag	32500-008320		
	100 units/bag	32500-008330		


DESCRIPTION	"W" barb 20 x 3 threaded male 3/4"			
CATALOG NUMBERS	1 unit	32500-009000		
	50 units/bag	32500-009020		
	100 units/bag	32500-009030		


DESCRIPTION	"T" barb 20 x 2 threaded female 3/4"			
CATALOG NUMBERS	1 unit	32500-008900		
	50 units/bag	32500-008920		
	100 units/bag	32500-008930		


DESCRIPTION	Barb 20 x 3 threaded female 3/4"			
CATALOG NUMBERS	1 unit	32500-009100		
	50 units/bag	32500-009120		
	100 units/bag	32500-009130		


DESCRIPTION	Barb 20 x 4 threaded female 3/4"			
CATALOG NUMBERS	1 unit	32500-009200		
	50 units/bag	32500-009220		
	100 units/bag	32500-009230		


DESCRIPTION	Barb 20 x 6 threaded female 3/4"			
CATALOG NUMBERS	1 unit	32500-009300		
	50 units/bag	32500-009320		
	100 units/bag	32500-009330		

DESCRIPTION	"T" barb 20 x 2 threaded female 1"		
CATALOG NUMBERS	1 unit	32500-009400	
	50 units/bag	32500-009420	
	100 units/bag	32500-009430	

DESCRIPTION	Barb 20 x 3 threaded female 1"		
CATALOG NUMBERS	1 unit	32500-009500	
	50 units/bag	32500-009520	
	100 units/bag	32500-009530	


DESCRIPTION	Barb 20 threaded loose female 3/4"		
CATALOG NUMBERS	1 unit	32500-008270	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Barb 20 x 4 threaded female 1"		
CATALOG NUMBERS	1 unit	32500-009600	
	50 units/bag	32500-009620	
	100 units/bag	32500-009630	


DESCRIPTION	Outlet: barb 20 x 6 Inlet: threaded female 1"		
CATALOG NUMBERS	1 unit	32500-009800	
	50 units/bag	32500-009820	
	100 units/bag	32500-009830	





12, 16, 17, 20 MM REDUCING CONNECTORS FOR PE PIPES


DESCRIPTION	Reducing coupling barb 12 barb 16		
CATALOG NUMBERS	1 unit	32 500-010800	
	50 units/bag	32 500-010820	
	100 units/bag	32 500-010830	


DESCRIPTION	Reducing coupling barb 17 barb 20		
CATALOG NUMBERS	1 unit	32500-004300	
	50 units/bag	32500-004315	
	100 units/bag	32500-004330	


DESCRIPTION	Reducing coupling barb 12 barb 17		
CATALOG NUMBERS	1 unit	32500-004100	
	50 units/bag	32500-004120	
	100 units/bag		


DESCRIPTION	Reducing "T" barb 12 x 2 barb 16		
CATALOG NUMBERS	1 unit	32500-002600	
	50 units/bag	32500-002620	
	100 units/bag	32500-002630	


DESCRIPTION	Reducing coupling barb 12 barb 20		
CATALOG NUMBERS	1 unit	32500-007800	
	50 units/bag	32500-007830	
	100 units/bag		


DESCRIPTION	Reducing "T" barb 16 x 2 barb 12		
CATALOG NUMBERS	1 unit	32500-011400	
	50 units/bag	32500-011420	
	100 units/bag		


DESCRIPTION	Reducing coupling barb 16 barb 17		
CATALOG NUMBERS	1 unit	32500-004250	
	50 units/bag	32500-004260	
	100 units/bag	32500-004270	


DESCRIPTION	Reducing "T" barb 16 x 2 barb 20		
CATALOG NUMBERS	1 unit	32500-011500	
	50 units/bag	32500-011520	
	100 units/bag		


DESCRIPTION	Reducing coupling barb 16 barb 20		
CATALOG NUMBERS	1 unit	32500-007900	
	50 units/bag	32500-007920	
	100 units/bag	32500-007930	


DESCRIPTION	Reducing "T" barb 17 x 2 barb 16		
CATALOG NUMBERS	1 unit	32500-005000	
	50 units/bag	32500-005020	
	100 units/bag		


DESCRIPTION	Reducing "T" barb 20 x 2 barb 12		
CATALOG NUMBERS	1 unit	32500-008500	
	50 units/bag		
	100 units/bag		

DESCRIPTION	"T" barb /ring connector (body & 2 flat rings) flat ring 16 x 2 barb 17		
CATALOG NUMBERS	1 unit	32500-018900	
	50 units/bag		
	100 units/bag		

DESCRIPTION	Reducing "T" barb 20 x 2 barb 16		
CATALOG NUMBERS	1 unit	32500-008600	
	50 units/bag	32500-008610	
	100 units/bag	32500-008620	

DESCRIPTION	Elbow barb /ring connector (body & flat ring) flat ring 16 barb 16		
CATALOG NUMBERS	1 unit	32500-012900	
	50 units/bag	32500-012920	
	100 units/bag		

DESCRIPTION	"T" barb /ring connector (body & 2 flat rings) flat ring 16 x 2 barb 16		
CATALOG NUMBERS	1 unit	32500-018800	
	50 units/bag	32500-018820	
	100 units/bag		


DESCRIPTION	Elbow barb /ring connector (body & flat ring) flat ring 16 barb 17		
CATALOG NUMBERS	1 unit	32500-006400	
	50 units/bag		
	100 units/bag		


12, 16, 17, 20 MM INSERT START CONNECTORS FOR PVC PIPES


Recommended hole for barb start connectors:


- 1) 16 mm. in PVC pipe up to 4 mm. wall thickness
- 2) 16.5 mm. in PVC pipe with more than 4 mm. wall thickness


we recommend using the 'P' model at a flow rate of up to 800 l/h.


DESCRIPTION	Start connector for PVC barb 12 w/seal, model P		
CATALOG NUMBERS	1 unit	32500-003706	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Start connector for PVC barb 16 w/seal, model P		
CATALOG NUMBERS	1 unit	32500-013770	
	50 units/bag	32500-013785	
	100 units/bag		


DESCRIPTION	Start connector for PVC barb 17 w/seal, model P		
CATALOG NUMBERS	1 unit	32500-006620	
	50 units/bag	32500-006630	
	100 units/bag		


DESCRIPTION	Start connector for PVC barb 20 w/seal, model P		
CATALOG NUMBERS	1 unit	32500-010470	
	50 units/bag	32500-010485	
	100 units/bag		


DESCRIPTION	Seal for start barb connector Model P		
CATALOG NUMBERS	1 unit	32500-010450	
	50 units/bag	32500-010455	
	100 units/bag	32500-010460	


DESCRIPTION	Start connector for PVC barb 12 w/seal, model T		
CATALOG NUMBERS	1 unit	32500-024000	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Start connector for PVC barb 16 w/seal, model T		
CATALOG NUMBERS	1 unit	32500-013700	
	50 units/bag	32500-013720	
	100 units/bag	32500-013730	

DESCRIPTION	Start connector for PVC barb 17 w/seal, model T		
CATALOG NUMBERS	1 unit	32500-006700	
	50 units/bag	32500-006720	
	100 units/bag	32500-006730	

DESCRIPTION	Start connector for PVC barb 20 w/seal, model T		
CATALOG NUMBERS	1 unit	32500-010300	
	50 units/bag	32500-010330	
	100 units/bag	32500-010340	

DESCRIPTION	Start elbow connector for PVC, barb 17 w/seal, model T		
CATALOG NUMBERS	1 unit	32500-006800	
	50 units/bag		
	100 units/bag	32500-006820	

DESCRIPTION	Seal for start connector Model T		
CATALOG NUMBERS	1 unit	32000-007000	
	50 units/bag	32000-007015	
	100 units/bag		


DESCRIPTION	Start elbow connector for PVC, barb 16 w/seal, model T		
CATALOG NUMBERS	1 unit	32500-010615	
	50 units/bag		
	100 units/bag		


Photos show assembly with seal. Connectors are delivered with seals not assembled.





12, 16, 17, 20 MM START CONNECTORS FOR PE PIPES 20-75 MM


Recommended hole for barb start connectors: 8 mm

DESCRIPTION	Start connector for PE, barb 12		
CATALOG NUMBERS	1 unit	32500-003705	
	50 units/bag	32500-003702	
	100 units/bag		

DESCRIPTION	Start connector for PE, barb 20		
CATALOG NUMBERS	1 unit	32500-010350	
	50 units/bag	32500-010370	
	100 units/bag	32500-010380	

DESCRIPTION	Start connector for PE, barb 16		
CATALOG NUMBERS	1 unit	32500-013750	
	50 units/bag	32500-013760	
	100 units/bag	32500-013765	


DESCRIPTION	Start connector for PE, ring 16 (for thin walled dripperlines)		
CATALOG NUMBERS	1 unit	32500-017770	
	50 units/bag	32500-017785	
	100 units/bag		


DESCRIPTION	Start connector for PE, barb 17		
CATALOG NUMBERS	1 unit	32500-006600	
	50 units/bag	32500-006605	
	100 units/bag	32500-006610	





12, 16, 17, 20 MM BAND START CONNECTORS FOR PE PIPES 32-50 MM


Recommended hole for 12, 16, 17 mm band start connectors: 16 mm, for 20 mm: 11 mm


DESCRIPTION	Barb 12 on saddle to assemble a bundled start connector		
CATALOG NUMBERS	1 unit	32500-003600	
	50 units/bag	32500-003620	
	100 units/bag	32500-003630	


DESCRIPTION	Barb 17 on saddle to assemble a bundled start connector		
CATALOG NUMBERS	1 unit	32500-006550	
	50 units/bag	32500-006570	
	100 units/bag		


DESCRIPTION	Barb 16 on saddle to assemble a bundled start connector		
CATALOG NUMBERS	1 unit	32500-013300	
	50 units/bag	32500-013320	
	100 units/bag	32500-013330	


DESCRIPTION	Barb 20 on saddle to assemble a bundled start connector		
CATALOG NUMBERS	1 unit	32500-010200	
	50 units/bag	32500-010220	
	100 units/bag		


DESCRIPTION	Fast 16 on saddle to assemble a bundled start connector		
CATALOG NUMBERS	1 unit	32500-017800	
	50 units/bag	32500-017820	
	100 units/bag	32500-017830	

DESCRIPTION	Plug on saddle to assemble a bundled plug		
CATALOG NUMBERS	1 unit	32500-013400	
	50 units/bag	32500-013420	
	100 units/bag		

DESCRIPTION	Seal to assemble a bundled start connector – 12, 16 & 17		
CATALOG NUMBERS	1 unit	32500-013900	
	50 units/bag	32500-013920	
	100 units/bag	32500-013930	

DESCRIPTION	Seal to assemble a bundled start connector – 20		
CATALOG NUMBERS	1 unit	32500-010400	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Band to assemble a bundled start connector – 12 & 16		
CATALOG NUMBERS	1 unit	32500-014000	
	50 units/bag	32500-014020	
	100 units/bag	32500-014030	


DESCRIPTION	Band to assemble a bundled start connector – 17 & 20		
CATALOG NUMBERS	1 unit	32500-010500	
	50 units/bag	32500-010520	
	100 units/bag		




START SCREW CONNECTORS FOR PE PIPES 50-75 MM

Recommended hole for screw nut start connectors: 12 mm

DESCRIPTION	Start screw nut connector for PE, barb 17		
CATALOG NUMBERS	1 unit	32500-007100	
	50 units/bag	32500-007120	
	100 units/bag	32500-007130	

DESCRIPTION	Start screw nut connector for PE, fast with blue ring (for thin walled dripperlines)		
CATALOG NUMBERS	1 unit	32500-018550	
	50 units/bag		
	100 units/bag	32500-018560	


DESCRIPTION	Start screw nut connector for PE, fast body w/o ring		
CATALOG NUMBERS	1 unit	32500-018500	
	50 units/bag	32500-018510	
	100 units/bag	32500-018520	





8 MM BARB CONNECTORS FOR PE PIPES


Recommended hole: 3 mm


Pipe inside Ø (mm)	Wall thickness (mm)	Max. working pressure (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
6.4	0.8	32	2.5	Microdrip 8

DESCRIPTION	Coupling barb 8 x 8		
CATALOG NUMBERS	1 unit	32500-002000	
	50 units/bag	32500-002020	
	100 units/bag	32500-002030	

DESCRIPTION	"T" barb 8 x 8 x 8		
CATALOG NUMBERS	1 unit	32500-002100	
	50 units/bag	32500-002115	
	100 units/bag	32500-002120	

DESCRIPTION	Elbow barb 8 x 8		
CATALOG NUMBERS	1 unit	32500-001900	
	50 units/bag	32500-001915	
	100 units/bag	32500-001920	

DESCRIPTION	Press fit female barb 8		
CATALOG NUMBERS	1 unit	32500-040100	
	50 units/bag		
	100 units/bag		

DESCRIPTION	Press fit male barb 8		
CATALOG NUMBERS	1 unit	32500-040000	
	50 units/bag		
	100 units/bag		



5 MM BARB CONNECTORS FOR PE PIPES

Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
3.2	0.8	32	2.5	3x5 blank micro-tube

DESCRIPTION	"T" barb 5 x 5 x 5
CATALOG NUMBERS	1 unit 32500-001500 50 units/bag 32500-001520 100 units/bag 32500-001530 1000 units/bag 32500-001540



DESCRIPTION	Male threaded 5 mm x 2 barb 5
CATALOG NUMBERS	1 unit 32500-001300 50 units/bag 32500-001320 100 units/bag 32500-001330 1000 units/bag 32500-001340



DESCRIPTION	"T" barb 5 x 5 x 5 (brown)
CATALOG NUMBERS	1 unit 32500-001600 50 units/bag 32500-001620 100 units/bag



DESCRIPTION	Male threaded 5 mm x 2 barb 5 (brown)
CATALOG NUMBERS	1 unit 32500-001400 50 units/bag 100 units/bag



DESCRIPTION	Barb/Mth start connector 5 mm
CATALOG NUMBERS	1 unit 32500-001100 50 units/bag 32500-001110 100 units/bag 1000 units/bag 32500-001140



DESCRIPTION	"T" barb Mth 5 x Mth 5 x Mth 5
CATALOG NUMBERS	1 unit 32500-001700 50 units/bag 32500-001720 100 units/bag 32500-001730 1000 units/bag 32500-001740



DESCRIPTION	Barb/barb start connector 5 mm
CATALOG NUMBERS	1 unit 32000-001900 50 units/bag 32000-001920 100 units/bag 32000-001930




DESCRIPTION	"T" barb Mth 5 x Mth 5 x Mth 5 (brown)
CATALOG NUMBERS	1 unit 32500-001800 50 units/bag 32500-001820 100 units/bag 32500-001830





Mth = Male threaded.


BARB CONNECTORS 12, 16, 17, 18, 20 MM FOR MINING (VIOLET COLOR)


Max. working pressure: 3 bar with 1.2 mm wall thickness dripperlines


DESCRIPTION	Coupling barb 12 x 12		
CATALOG NUMBERS	1 unit	32500-002250	
	50 units/bag		
	100 units/bag	32500-002270	


DESCRIPTION	Coupling barb 16 x 16		
CATALOG NUMBERS	1 unit	32500-010680	
	50 units/bag	32500-010685	
	100 units/bag	32500-010690	


DESCRIPTION	Coupling barb 17 x 17		
CATALOG NUMBERS	1 unit	32500-003900	
	50 units/bag	32500-003915	
	100 units/bag	32500-003930	


DESCRIPTION	Coupling barb 18 x 18		
CATALOG NUMBERS	1 unit	32500-014217	
	50 units/bag		
	100 units/bag	32500-014227	


DESCRIPTION	Coupling barb 20 x 20		
CATALOG NUMBERS	1 unit	32500-007700	
	50 units/bag	32500-007721	
	100 units/bag	32500-007730	


DESCRIPTION	Elbow barb 12 x 12		
CATALOG NUMBERS	1 unit	32500-003250	
	50 units/bag	32500-003260	
	100 units/bag		


DESCRIPTION	Elbow barb 16 x 16		
CATALOG NUMBERS	1 unit	32500-012480	
	50 units/bag		
	100 units/bag		

DESCRIPTION	Elbow barb 17 x 17		
CATALOG NUMBERS	1 unit	32500-005970	
	50 units/bag		
	100 units/bag		

DESCRIPTION	Elbow barb 18 x 18		
CATALOG NUMBERS	1 unit	32500-014261	
	50 units/bag		
	100 units/bag		


DESCRIPTION	"T" barb 16 x 16 x 16		
CATALOG NUMBERS	1 unit	32500-011340	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Elbow barb 20 x 20		
CATALOG NUMBERS	1 unit	32500-010050	
	50 units/bag		
	100 units/bag		


DESCRIPTION	"T" barb 12 x 12 x 12		
CATALOG NUMBERS	1 unit	32500-002533	
	50 units/bag		
	100 units/bag		


BARB CONNECTORS 12, 16, 17, 18, 20 MM FOR MINING (VIOLET COLOR)


Max. working pressure: 3 bar with 1.2 mm wall thickness dripperlines


DESCRIPTION	Straight barb 12 threaded male ½"		
CATALOG NUMBERS	1 unit	32500-002360	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Straight barb 16 threaded male ½"		
CATALOG NUMBERS	1 unit	32500-010935	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Straight barb 16 threaded male ¾"		
CATALOG NUMBERS	1 unit	32500-011050	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Straight barb 17 threaded male ¾"		
CATALOG NUMBERS	1 unit	32500-004520	
	50 units/bag	32500-004530	
	100 units/bag		


DESCRIPTION	Straight barb 18 threaded male ¾"		
CATALOG NUMBERS	1 unit	32500-014150	
	50 units/bag	32500-014170	
	100 units/bag		


DESCRIPTION	Straight barb 20 threaded male ¾"		
CATALOG NUMBERS	1 unit	32500-008250	
	50 units/bag		
	100 units/bag		


DESCRIPTION	"Y" barb 12 x 2 threaded male ¾"		
CATALOG NUMBERS	1 unit	32500-002750	
	50 units/bag		
	100 units/bag		


DESCRIPTION	"Y" barb 16 x 2 threaded male ¾"		
CATALOG NUMBERS	1 unit	32500-011240	
	50 units/bag		
	100 units/bag		


DESCRIPTION	"Y" barb 17 x 2 threaded male ¾"		
CATALOG NUMBERS	1 unit	32500-004650	
	50 units/bag		
	100 units/bag		

DESCRIPTION	"Y" barb 18 x 2 threaded male ¾"		
CATALOG NUMBERS	1 unit	32500-014251	
	50 units/bag		
	100 units/bag		

DESCRIPTION	"Y" barb 20 x 2 threaded male ¾"		
CATALOG NUMBERS	1 unit	32500-008350	
	50 units/bag		
	100 units/bag		

DESCRIPTION	Reducing coupling barb 12 barb 16		
CATALOG NUMBERS	1 unit	32500-010870	
	50 units/bag		
	100 units/bag		


Description	Start connector, barb 16, model P , without seal		
Catalog numbers	1 unit	32500-014120	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Reducing coupling barb 16 barb 20		
CATALOG NUMBERS	1 unit	32500-007790	
	50 units/bag		
	100 units/bag		





16 MM RING CONNECTORS FOR THIN WALLED PE PIPES


Pipe inside Ø (mm)	Wall thickness (mm) (mil)		Max. working pressure (bar)	To fit Netafim™ dripperlines
16.2	0.10	4.0	0.60	Streamline™ 16040
	0.15	6.0	0.65	Streamline™ 16060,
	0.20	8.0	0.85	Streamline™ 16080, Super Typhoon™ 16080
	0.25	10.0	1.00	Streamline™ 16100, Super Typhoon™ 16100
	0.31	12.5	1.40	Streamline™ 16125, Super Typhoon™ 16125, DripNet PC™ 16125
	0.38	15.0	1.80	Streamline™ 16150, Super Typhoon™ 16150, DripNet PC™ 16150


DESCRIPTION	Fast coupling connector 16 w/blue rings		
CATALOG NUMBERS	1 unit	32500-016740	
	50 units/bag	32500-016760	
	100 units/bag	32500-016770	


DESCRIPTION	Fast 16 x 3 w/blue rings threaded female 3/4"		
CATALOG NUMBERS	1 unit	32500-015500	
	50 units/bag		
	100 units/bag	32500-015530	


DESCRIPTION	Fast 16 x 2 w/blue rings threaded female 3/4"		
CATALOG NUMBERS	1 unit	32500-016520	
	50 units/bag	32500-016525	
	100 units/bag	32500-016530	


DESCRIPTION	Fast 16 x 4 w/blue rings threaded female 3/4"		
CATALOG NUMBERS	1 unit	32500-015700	
	50 units/bag		
	100 units/bag	32500-015730	


DESCRIPTION	Fast 16 w/blue ring barb 16		
CATALOG NUMBERS	1 unit	32500-017040	
	50 units/bag	32500-017060	
	100 units/bag	32500-017070	


DESCRIPTION	Fast 16 x 6 w/blue rings threaded female 3/4"		
CATALOG NUMBERS	1 unit	32500-016550	
	50 units/bag		
	100 units/bag	32500-016570	


DESCRIPTION	Fast 16 w/blue ring barb 17		
CATALOG NUMBERS	1 unit	32500-006200	
	50 units/bag	32500-006220	
	100 units/bag		

DESCRIPTION	Fast 16 w/blue ring threaded male 1/2"		
CATALOG NUMBERS	1 unit	32500-015100	
	50 units/bag		
	100 units/bag	32500-015130	

DESCRIPTION	Fast 16 line end w/blue ring		
CATALOG NUMBERS	1 unit	32500-016460	
	50 units/bag	32500-016480	
	100 units/bag	32500-016490	

DESCRIPTION	Fast 16 w/blue ring threaded male 3/4"		
CATALOG NUMBERS	1 unit	32500-015250	
	50 units/bag	32500-015270	
	100 units/bag	32500-015280	

DESCRIPTION	Blue ring 16		
CATALOG NUMBERS	1 unit	32500-017400	
	50 units/bag	32500-017420	
	100 units/bag	32500-017430	


DESCRIPTION	Start for PE, on saddle, complete (band + body + seal + blue ring)		
CATALOG NUMBERS	1 unit	32500-018000	
	50 units/bag	32500-018003	
	100 units/bag	32500-018005	




16 MM RING CONNECTORS FOR THIN/MEDIUM WALLED PE PIPES

Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
15.5	0.5	20.0	2.0	Super Typhoon™ 16200, DripNet PC™ 16200
	0.6	25.0	2.8	Super Typhoon™ 16250, DripNet PC™ 16250


DESCRIPTION	Fast coupling connector 16 w/o rings
CATALOG NUMBERS	1 unit 32500-016720 50 units/bag 32500-016730 100 units/bag 32500-016730




DESCRIPTION	Fast 16 line end w/o ring
CATALOG NUMBERS	1 unit 32500-016450 50 units/bag 32500-016455 100 units/bag 32500-016455




DESCRIPTION	Fast 16 x 2 w/o rings threaded female 3/4"
CATALOG NUMBERS	1 unit 32500-015300 50 units/bag 32500-015320 100 units/bag 32500-015330




DESCRIPTION	Fast 16 w/o ring threaded male 1/2"
CATALOG NUMBERS	1 unit 32500-015000 50 units/bag 32500-015000 100 units/bag 32500-015000




DESCRIPTION	Fast 16 x 3 w/o rings threaded female 3/4"
CATALOG NUMBERS	1 unit 32500-015400 50 units/bag 32500-015420 100 units/bag 32500-015430




DESCRIPTION	Fast 16 w/o ring threaded male 3/4"
CATALOG NUMBERS	1 unit 32500-015200 50 units/bag 32500-015200 100 units/bag 32500-015200




DESCRIPTION	Fast 16 x 4 w/blue rings threaded female 3/4"
CATALOG NUMBERS	1 unit 32500-015600 50 units/bag 32500-015600 100 units/bag 32500-015600




DESCRIPTION	White ring 16 For MWD
CATALOG NUMBERS	1 unit 32500-017600 50 units/bag 32500-017620 100 units/bag 32500-017630




DESCRIPTION	Fast 16 x 6 w/o rings threaded female 3/4"
CATALOG NUMBERS	1 unit 32500-015800 50 units/bag 32500-015830 100 units/bag 32500-015830



DESCRIPTION	Black flat ring 16 For HWD
CATALOG NUMBERS	1 unit 32000-006950 50 units/bag 32000-006975 100 units/bag 32000-006980




DESCRIPTION	Fast 16 w/o rings barb 16
CATALOG NUMBERS	1 unit 32500-017020 50 units/bag 32500-017030 100 units/bag 32500-017030








22 MM RING CONNECTORS FOR THIN WALLED PE PIPES


Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
22.2	0.20	8.0	0.7	Python™ 22080, Streamline 22080
	0.25	10.0	0.9	Python™ 22100, Streamline 22100
	0.34	13.5	1.2	Python™ 22135, DripNet PC™ 22135
	0.38	15.0	1.3	Python™ 22150, DripNet PC™ 22150


DESCRIPTION	Fast coupling connector 22 x 22 w/blue rings		
CATALOG NUMBERS	1 unit	32500-021300	
	50 units/bag		
	100 units/bag	32500-021320	


DESCRIPTION	Fast coupling connector 22 x 22 w/o rings		
CATALOG NUMBERS	1 unit	32500-020800	
	50 units/bag		
	100 units/bag		

DESCRIPTION	Fast 22 w/blue ring barb 20		
CATALOG NUMBERS	1 unit	32500-021200	
	50 units/bag	32500-021220	
	100 units/bag	32500-021230	

DESCRIPTION	Fast 22 w/o ring barb 20		
CATALOG NUMBERS	1 unit	32500-021100	
	50 units/bag		
	100 units/bag		

DESCRIPTION	Fast 22 w/blue ring threaded male 3/4"		
CATALOG NUMBERS	1 unit	32500-021000	
	50 units/bag		
	100 units/bag	32500-021020	


DESCRIPTION	Fast 22 w/o ring threaded male 3/4"		
CATALOG NUMBERS	1 unit	32500-020900	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Blue ring 22		
CATALOG NUMBERS	1 unit	32500-022200	
	50 units/bag		
	100 units/bag		





25 MM RING CONNECTORS FOR THIN WALLED PE PIPES


Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
25.0	0.34	13.5	1.1	Ozline™ 25135, DripNet PCT™ 25135
	0.38	15.0	1.0	Ozline™ 25150, DripNet PCT™ 25150


DESCRIPTION	Fast coupling connector 25 x 25 w/black rings		
CATALOG NUMBERS	1 unit	32500-019600	
	50 units/bag	32500-019630	
	100 units/bag	32500-019650	


DESCRIPTION	Fast coupling connector 25 x 25 w/o rings		
CATALOG NUMBERS	1 unit	32500-019500	
	50 units/bag		
	100 units/bag		

DESCRIPTION	Fast 25 w/black ring barb 20		
CATALOG NUMBERS	1 unit	32500-020000	
	50 units/bag		
	100 units/bag	32500-020050	

DESCRIPTION	Fast 25 w/o ring barb 20		
CATALOG NUMBERS	1 unit	32500-019900	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Fast 25 w/black ring threaded male 3/4"		
CATALOG NUMBERS	1 unit	32500-019800	
	50 units/bag	32500-019840	
	100 units/bag	32500-019850	


DESCRIPTION	Fast 25 w/o ring threaded male 3/4"		
CATALOG NUMBERS	1 unit	32500-019700	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Black ring 25		
CATALOG NUMBERS	1 unit	32500-020100	
	50 units/bag		
	100 units/bag	32500-020130	





START CONNECTORS FOR LAY FLAT PIPES & SPARE PARTS


DESCRIPTION	LYF fast start connector 16 w/ring		
CATALOG NUMBERS	1 unit	32500-018045	
	50 units/bag		
	100 units/bag		


DESCRIPTION	LYF fast start connector 22 w/ring		
CATALOG NUMBERS	1 unit	32500-018260	
	50 units/bag	32500-018263	
	100 units/bag		


DESCRIPTION	LYF barb 16 start connector		
CATALOG NUMBERS	1 unit	32500-013340	
	50 units/bag		
	100 units/bag		


DESCRIPTION	LYF barb 17 start connector		
CATALOG NUMBERS	1 unit	32500-007555	
	50 units/bag		
	100 units/bag	32500-007557	


DESCRIPTION	LYF barb 20 start connector		
CATALOG NUMBERS	1 unit	32500-010255	
	50 units/bag		
	100 units/bag	32500-010260	


DESCRIPTION	LYF 3/4" male threaded start connector		
CATALOG NUMBERS	1 unit	32500-018085	
	50 units/bag		
	100 units/bag		


DESCRIPTION	PLN & LYF fast 16 w/o ring adapter FTH 1/2"		
CATALOG NUMBERS	1 unit	32500-018065	
	50 units/bag		
	100 units/bag		


DESCRIPTION	PLN & LYF fast 22 w/o ring adapter FTH 1/2"		
CATALOG NUMBERS	1 unit	32500-018245	
	50 units/bag		
	100 units/bag		


DESCRIPTION	PLN & LYF barb 16 adapter FTH 1/2"		
CATALOG NUMBERS	1 unit	32500-013380	
	50 units/bag		
	100 units/bag	32500-013390	


DESCRIPTION	PLN & LYF barb 17 adapter FTH 1/2"		
CATALOG NUMBERS	1 unit	32500-007560	
	50 units/bag		
	100 units/bag	32500-007562	


DESCRIPTION	PLN & LYF barb 20 adapter FTH 1/2"		
CATALOG NUMBERS	1 unit	32500-010275	
	50 units/bag		
	100 units/bag	32500-010280	


DESCRIPTION	PLN & LYF 3/4" male threaded adapter FTH 1/2"		
CATALOG NUMBERS	1 unit	32500-018095	
	50 units/bag		
	100 units/bag	32500-018098	


DESCRIPTION	LYF nut 3/8 ID		
CATALOG NUMBERS	1 unit	32500-018075	
	50 units/bag		
	100 units/bag		

DESCRIPTION	LYF nut 1/2 ID		
CATALOG NUMBERS	1 unit	32500-018255	
	50 units/bag		
	100 units/bag		

Description	LYF repair device 3/8 ID – 1/2" male threaded		
Catalog numbers	1 unit	32500-018030	
	50 units/bag		
	100 units/bag		

DESCRIPTION	LYF repair device 1/2 ID – 1/2" male threaded		
CATALOG NUMBERS	1 unit	32500-018035	
	50 units/bag		
	100 units/bag		

DESCRIPTION	PLN & LYF fast 16 with assembly ring adapter FTH 1/2"		
CATALOG NUMBERS	100 units/bag	32500-018049	

DESCRIPTION	PLN & LYF fast 22 with assembly ring adapter FTH 1/2"		
CATALOG NUMBERS	100 units/bag	32500-018268	



12 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm) (mil)		Max. working pressure (bar)	To fit Netafim™ dripperlines
11.8	0.15	6.0	1.4	Streamline™ 12060
	0.20	8.0	1.7	Streamline™ 12080
	0.31	12.5	2.5	Super Typhoon™ 12125 , DripNet PC™ 12125
	0.38	15.0	3.0	Super Typhoon™ 12150 , DripNet PC™ 12150
	0.50	20.0	3.0	Super Typhoon™ 12200 , DripNet PC™ 12200
	0.63	25.0	3.5	Super Typhoon™ 12250 , DripNet PC™ 12250*

*DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper , not by the wall thickness)

DESCRIPTION	Coupling Flare 12 x Flare 12		
CATALOG NUMBERS	10 units/bag	32500-027010	
100 units/bag	32500-027030		
1500 units/box	32500-027040		

DESCRIPTION	End line Flare 12		
CATALOG NUMBERS	10 units/bag	32500-027310	
100 units/bag	32500-027330		
2500 units/box	32500-027340		

DESCRIPTION	Flare 12 threaded male 1/2"		
CATALOG NUMBERS	10 units/bag	32500-027210	
100 units/bag	32500-027230		

DESCRIPTION	Flare 12 barb 12		
CATALOG NUMBERS	10 units/bag	32500-027110	
100 units/bag	32500-027130		
2000 units/box	32500-027140		

Each bag include 2 tightening wrenches



16 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm) (mil)		Max. working pressure (bar)	To fit Netafim™ dripperlines
16.2	0.10	4.0	0.6	Streamline™ 16040
	0.15	6.0	0.8	Streamline™ 16060
	0.20	8.0	1.0	Streamline™ 16080 , Super Typhoon™ 16080
	0.25	10.0	1.2	Streamline™ 16100 , Super Typhoon™ 16100
	0.31	12.5	1.8	Streamline™ 16125 , Super Typhoon™ 16125 , DripNet PC™ 16125
	0.38	15.0	2.2	Streamline™ 16150 , Super Typhoon™ 16150 , DripNet PC™ 16150

DESCRIPTION	Coupling Flare 16 x Flare 16		
CATALOG NUMBERS	10 units/bag	32500-025005	
100 units/bag	32500-025020		

DESCRIPTION	End line Flare 16		
CATALOG NUMBERS	10 units/bag	32500-025265	
100 units/bag	32500-025270		

DESCRIPTION	Flare 16 threaded male 1/2"		
CATALOG NUMBERS	10 units/bag	32500-027670	
100 units/bag	32500-027700		

DESCRIPTION	Flare 16 barb 16		
CATALOG NUMBERS	10 units/bag	32500-025230	
100 units/bag	32500-025250		

DESCRIPTION	Elbow Flare 1/2"X16		
CATALOG NUMBERS	100 units/bag	32500-030900	

DESCRIPTION	"T" Flare 16X1/2"X16		
CATALOG NUMBERS	100 units/bag	32500-033000	

Each bag include 2 tightening wrenches



22 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm) (mil)		Max. working pressure (bar)	To fit Netafim™ dripperlines
22.2	0.20	8.0	0.8	Python™ 22080, Streamline™ 22080
	0.25	10.0	1.0	Python™ 22100, Streamline™ 22010
	0.34	13.5	1.5	Python™ 22135, DripNet PC™ 22135
	0.38	15.0	1.8	Python™ 22150, DripNet PC™ 22150

DESCRIPTION	Coupling Flare 22 x Flare 22		
CATALOG NUMBERS	10 units/bag	32500-028010	
	100 units/bag	32500-028030	

DESCRIPTION	End line Flare 22		
CATALOG NUMBERS	10 units/bag	32500-028260	
	100 units/bag	32500-028280	

DESCRIPTION	Flare 22 threaded male ¾"		
CATALOG NUMBERS	10 units/bag	32500-028210	
	100 units/bag	32500-028230	

DESCRIPTION	Flare 22 barb 20		
CATALOG NUMBERS	10 units/bag	32500-028110	
	100 units/bag	32500-028130	

DESCRIPTION	"T" 22X1/2"X22		
CATALOG NUMBERS	100 units/bag	32500-033500	

DESCRIPTION	Elbow Flare 22X1/2"		
CATALOG NUMBERS	100 units/bag	32500-031500	

Each bag include 2 tightening wrenches



25 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm) (mil)		Max. working pressure (bar)	To fit Netafim™ dripperlines
25.0	0.34	13.5	1.2	Ozline™ 25135 , DripNet PC™ 25135
	0.38	15.0	1.4	Ozline™ 25150 , DripNet PC™ 25150

DESCRIPTION	Coupling Flare 25 x Flare 25		
CATALOG NUMBERS	10 units/bag	32500-028980	
	50 units/bag	32500-029000	

DESCRIPTION	End line Flare 25		
CATALOG NUMBERS	10 units/bag	32500-029380	
	50 units/bag	32500-029400	


DESCRIPTION	Flare 25 threaded male ¾"		
CATALOG NUMBERS	10 units/bag	32500-029180	
	50 units/bag	32500-029200	


Each bag include 2 tightening wrenches




35 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
35.0	0.34	13.5	0.70	Hydra™ 35135
	0.38	15.0	0.80	Hydra™ 35150

DESCRIPTION	Coupling Flare 35 x Flare 35		
CATALOG NUMBERS	10 units/bag	32500-029990	
	20 units/bag	32500-030000	

DESCRIPTION	End line Flare 35		
CATALOG NUMBERS	10 units/bag	32500-030390	
	20 units/bag	32500-030400	

DESCRIPTION	Flare 35 threaded male 3/4"		
CATALOG NUMBERS	10 units/bag	32500-030190	
	20 units/bag	32500-030200	


Each bag include 2 tightening wrenches





16-17 MM FLARE CONNECTORS


Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
14.2-14.6	0.9	35	3.0	UniRam™ 16009, DripNet PC™ 16009, Tiran™ 16009
	1.0	39	3.5	UniRam™ 16010, DripNet PC™ 16010*, Tiran™ 16010

*DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper , not by the wall thickness)

DESCRIPTION	Coupling Flare 1617 x Flare 1617		
CATALOG NUMBERS	10 units/bag	32500-025480	
	100 units/bag	32500-025500	

DESCRIPTION	Flare 16/17 Barb 16		
CATALOG NUMBERS	10 units/bag	32500-025525	
	100 units/bag	32500-025530	

DESCRIPTION	Flare 1617 threaded male 1/2"		
CATALOG NUMBERS	10 units/bag	32500-025700	
	100 units/bag	32500-025720	

DESCRIPTION	Flare 1617 threaded male 3/4"		
CATALOG NUMBERS	10 units/bag	32500-025900	
	100 units/bag	32500-025920	

Each bag include 2 tightening wrenches



20 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
17.5	1.0	39	3.5	UniRam™ 20010 , DripNet PC™ 20010*, Tiran™ 20010

*DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper , not by the wall thickness)

DESCRIPTION	Coupling Flare 20 x Flare 20
CATALOG NUMBERS	10 units/bag 32500-027830 100 units/bag 32500-027850



DESCRIPTION	Flare 20 threaded male 3/4"
CATALOG NUMBERS	10 units/bag 32500-027950 100 units/bag 32500-027970



Each bag include 2 tightening wrenches

DESCRIPTION	Falre 20 Barb 20
CATALOG NUMBERS	10 units/bag 32500-027865 100 units/bag 32500-027870



23 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
20.8	0.90	35.0	3.00	DripNet PC™ 23350
	1.00	39.0	3.50	UniRam™ 23010

*DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper , not by the wall thickness)

DESCRIPTION	Coupling Flare 23 x Flare 23
CATALOG NUMBERS	10 units/bag 32500-028035 100 units/bag 32500-028040



DESCRIPTION	End line Flare 23
CATALOG NUMBERS	10 units/bag 32500-029800 100 units/bag 32500-029820



DESCRIPTION	Flare 23 threaded male 3/4"
CATALOG NUMBERS	10 units/bag 32500-029700 100 units/bag 32500-029720



DESCRIPTION	Flare 23 barb 25
CATALOG NUMBERS	10 units/bag 32500-029740 100 units/bag 32500-029760



Each bag include 2 tightening wrenches



FLARE REDUCING CONNECTORS

DESCRIPTION	Flare 12 x Flare 16
CATALOG NUMBERS	10 units/bag 32500-026070 100 units/bag 32500-026100



DESCRIPTION	Flare 12 x Flare 1617
CATALOG NUMBERS	10 units/bag 32500-026220 100 units/bag 32500-026250 800 units/box 32500-026270



DESCRIPTION	Flare 16 x Flare 22
CATALOG NUMBERS	10 units/bag 32500-026320 100 units/bag 32500-026350





Each bag include 2 tightening wrenches





16 NUT TWIST LOCK CONNECTORS


Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
16.2	0.10	4.0	0.6	Streamline™ 16040
	0.15	6.0	0.8	Streamline™ 16060
	0.20	8.0	1.0	Streamline™ 16080 , Super Typhoon™ 16080
	0.25	10.0	1.2	Streamline™ 16100 , Super Typhoon™ 16100
	0.31	12.5	1.8	Streamline™ 16125 , Super Typhoon™ 16125 , DripNet PC™ 16125
	0.38	15.0	2.2	Streamline™ 16150 , Super Typhoon™ 16150 , DripNet PC™ 16150


DESCRIPTION	Coupling Nut 16 X Nut 16		
CATALOG NUMBERS	1 units	32500-016010	

DESCRIPTION	Nut 16 threaded male ¾"		
CATALOG NUMBERS	1 units	32500-016030	

DESCRIPTION	Nut 16 threaded male 1/2"		
CATALOG NUMBERS	1 units	32500-016020	

DESCRIPTION	Nut twist x barb adaptor 16/17x16		
CATALOG NUMBERS	1 units	32500-016090	


DESCRIPTION	Elbow nut 16 X MTH 1/2"		
CATALOG NUMBERS	1 units	32500-011380	


DESCRIPTION	"T" 16 X1/2" MTH X 16		
CATALOG NUMBERS	1 units	32500-011370	





22 NUT TWIST LOCK CONNECTORS


Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
22.2	0.20	8.0	0.85	Python™ 22080, Streamline™ 22080
	0.25	10.0	1.00	Python™ 22100, Streamline™ 22010
	0.34	13.5	1.40	Python™ 22135, DripNet PC™ 22135
	0.38	15.0	1.30	Python™ 22150, DripNet PC™ 22150
	0.63	25.0	2.50	DripNet 22250

DESCRIPTION	Coupling Nut 22 X Nut 22		
CATALOG NUMBERS	1 units	32500-018180	

DESCRIPTION	Nut 22 threaded male ¾"		
CATALOG NUMBERS	1 units	32500-018185	

DESCRIPTION	Elbow nut 22 X MTH 1/2"		
CATALOG NUMBERS	1 units	32500-014770	


DESCRIPTION	Nut twist x barb adaptor 20x22		
CATALOG NUMBERS	1 units	32500-018210	


DESCRIPTION	"T" 22 X1/2" MTH X 22		
CATALOG NUMBERS	1 units	32500-014750	



25 NUT TWIST LOCK CONNECTORS


Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
25.0	0.34	13.5	1.10	Ozline™ 25135 , DripNet PC™ 25135
	0.38	15.0	1.00	Ozline™ 25150 , DripNet PC™ 25150
	0.63	25.0	1.50	Ozline™ 25250, DripNet PC™ 25250


DESCRIPTION	Coupling Nut 25 X Nut 25		
CATALOG NUMBERS	1 units	32500-019480	


DESCRIPTION	Nut 25 threaded male ¾"		
CATALOG NUMBERS	1 units	32500-019485	





START CONNECTORS FOR POLYNET™ PIPES & SPARE PARTS


DESCRIPTION	PLN fast start connector 16 w/ring	
CATALOG NUMBERS	100 units/bag	32500-024450 


DESCRIPTION	PLN 3/4" male threaded start connector	
CATALOG NUMBERS	100 units/bag	32500-024400 


DESCRIPTION	PLN fast start connector 22 w/ring	
CATALOG NUMBERS	100 units/bag	32500-024200 


DESCRIPTION	PLN start connector Nut	
CATALOG NUMBERS	100 units/bag	32500-024640 


DESCRIPTION	PLN barb 16 start connector	
CATALOG NUMBERS	100 units/bag	32500-024250 


DESCRIPTION	PLN start connector threaded body	
CATALOG NUMBERS	100 units/bag	32500-024610 

DESCRIPTION	PLN barb 17 start connector	
CATALOG NUMBERS	100 units/bag	32500-024300 

DESCRIPTION	PLN barb 20 start connector	
CATALOG NUMBERS	100 units/bag	32500-024350 

DESCRIPTION	PLN repair start connector	
CATALOG NUMBERS	50 units/bag	32500-024750 

DESCRIPTION	PLN plug connector	
CATALOG NUMBERS	50 units/bag	32500-024150 

DESCRIPTION	FTN & PLN start connector	
CATALOG NUMBERS	50 units/bag	32500-042300 

POLYNET™ CONNECTOR KITS

COUPLING CONNECTION	CATALOG NO.	
2"/51 mm	43040-018000	
3"/78 mm	43040-018150	
4"/102 mm	43040-018300	
6"/160 mm	43020-010750	 Each kit includes 2 rubber gaskets and 2 metal rings
8"/209 mm	43020-010800	
10"/260 mm	43020-010850	
12"/320 mm	43020-010900	
ELBOW CONNECTION		
2"/51 mm	43040-018900	
3"/78 mm	43040-019000	
4"/102 mm	43040-019100	
6"/160 mm	43020-016500	 Each kit includes 2 rubber gaskets and 2 metal rings
8"/209 mm	43020-016550	
10"/260 mm	43020-016600	
12"/320 mm	43020-016650	
"T" CONNECTION		
2"/51 mm	43040-019500	
3"/78 mm	43040-019600	
4"/102 mm	43040-019700	
6"/160 mm	43020-016730	 Each kit includes 3 rubber gaskets and 3 metal rings
8"/209 mm	43020-016770	
10"/260 mm	43020-016850	
12"/320 mm	43020-016920	
"T" TRANSITION CONNECTION		
3"-2"-3" (78 mm-51 mm-78 mm)	43040-020100	
4"-3"-4" (102 mm-78 mm-102 mm)	43040-020200	
8"-6"-8" (209 mm-160 mm-209 mm)	43020-016750	
10"-8"-10" (260 mm-209 mm-260 mm)	43020-016800	 Each kit includes 3 rubber gaskets and 3 metal rings
12"-10"-12" (320 mm-260 mm-320 mm)	43020-016900	
BARB X MTH BSP ADAPTOR		
2"/50 mm	43040-018050	
3"/78 mm	43040-018200	
4"/102 mm	43040-018350	
BARB X PVC SW ISO ADAPTOR		
2"/50 mm - ISO 50/63	43040-018100	
3"/78 mm - ISO 75/90	43040-018250	
4"/102 mm - ISO 110	43040-018400	

POLYNET™ CONNECTOR KITS

TRANSITION CONNECTION		
2"/51 mm - 3"/78 mm	43040-020300	 <p>Each kit includes 2 rubber gasket and 2 metal rings</p>
3"/78 mm - 4"/102 mm	43040-020400	
4"/102 mm - 6"/160 mm	43020-016980	
6"/160 mm - 8"/209 mm	43020-017000	
8"/209 mm - 10"/260 mm	43020-017050	
10"/260 mm - 12"/320 mm	43020-017100	
FLANGE-BARB-FLANGE		
6"/160 mm	43020-013600	 <p>Each kit includes 1 rubber gasket and 1 metal rings A flat wood drill bit and 2 metal support rings</p>
8"/209 mm	43020-013620	
10"/260 mm	43020-013640	
FLANGE-BARB		
2"/51 mm	43040-030000	 <p>Each kit includes 1 rubber gasket and 1 metal ring A flat wood drill bit and a metal support ring</p>
3"/78 mm	43040-030100	
4"/102 mm	43040-030200	
6"/160 mm	43020-012600	
8"/209 mm	43020-012620	
10"/260 mm	43020-012640	
12"/302 mm	43020-012645	
FLUSHING END LINE		
2"/51 mm	43020-030300	
3"/78 mm	43020-030400	
4"/102 mm	43020-030500	
6"/160 mm	43020-012780	 <p>Each kit includes 1 rubber gasket and 1 metal ring</p>
8"/209 mm	43020-012800	
10"/260 mm	43020-012820	
12"/302 mm	43020-012830	

FLATNET™ CONNECTORS

CATALOG NUMBER	PRODUCT DESCRIPTION	PRODUCT PICTURE
43040-018000 43040-018150 43040-018300	PLN/FTN Coupling Barb Con. 2" kit PLN/FTN Coupling Barb Con. 3" kit PLN/FTN Coupling Barb Con. 4" kit	
43040-018050 43040-018200 43040-018350	PLN/FTN Barb Con. 2" * MTH BSP 2" kit PLN/FTN Barb Con. 3" * MTH BSP 3" kit PLN/FTN Barb Con. 4" * MTH BSP 4" kit	
43040-018100 43040-018250 43040-018400	PLN/FTN Barb Con. 2" * SW ISO 50/63 kit PLN/FTN Barb Con. 2" * SW ISO 75/90 kit PLN/FTN Barb Con. 2" * SW ISO 110 kit	
43040-018900 43040-019000 43040-019100	PLN/FTN Elbow Barb Con 2" kit PLN/FTN Elbow Barb Con 3" kit PLN/FTN Elbow Barb Con 4" kit	
43040-019200 43040-019300 43040-019400	PLN/FTN Elbow Barb Con 2"*FTH BSP 2" kit PLN/FTN Elbow Barb Con 3"*FTH BSP 3" kit PLN/FTN Elbow Barb Con 4"*FTH BSP 4" kit	
43040-018600 43040-018700 43040-018800	PLN/FTN Barb Con. 2" * FTH BSP 2" kit PLN/FTN Barb Con. 3" * FTH BSP 3" kit PLN/FTN Barb Con. 4" * FTH BSP 4" kit	
43040-020500 43040-020600 43040-020700	PLN/FTN Cap Barb Con 2" kit PLN/FTN Cap Barb Con 3" kit PLN/FTN Cap Barb Con 4" kit	
43040-019500 43040-019600 43040-019700	PLN/FTN Tee Barb Con 2" kit PLN/FTN Tee Barb Con 3" kit PLN/FTN Tee Barb Con 4" kit	
43040-019800 43040-019900 43040-020000	PLN/FTN Tee Barb Con 2" * FTH BSP 2" kit PLN/FTN Tee Barb Con 3" * FTH BSP 3" kit PLN/FTN Tee Barb Con 4" * FTH BSP 4" kit	
43040-020100 43040-020200	PLN/FTN Tee Barb Con 3" * 2" * 3" kit PLN/FTN Tee Barb Con 4" * 3" * 4" kit	
43040-020300 43040-020400	PLN/FTN Reducer Barb Con 3" * 2" kit PLN/FTN Reducer Barb Con 4" * 3" kit	
43040-018500	PLN/FTN Barb Con. 4" * MTH BSP 3" kit	
43040-030000 43040-030100 43040-030200	PLN/FTN Barb con. 2" X Flange ISO 63 kit PLN/FTN Barb con. 3" X Flange ISO 90 kit PLN/FTN Barb con. 4" X Flange ISO 110 kit	

